Pursuant to the Consumer Product Safety Improvement Act (CPSIA) Sec. 102 the manufacturer certifies compliance with the Consumer Product Safety Commission (CPSC) regulations listed below.						
**** Product Information ****		**** Safety Testing Information ****				
BK 40 - DRAWER GRAY - PO AF7083		Testing performed at one or more of the following independent testing locations: Armstrong Forensic Laboratory 330 Loch'n Green Trail Arlington, TX 76012				
Date of Manufacture: February 2020 Made in Brazil		TSCA Title VI and California 93120 Phase 2 Compliant for Formaldehyde				
Manufactured by: Bedz King LLC 816 111th Street Arlington, TX 76011 Children's Product Certifica	Custodian of Test Records: Manager of Compliance and Testing Bedz King LLC 816 111th Street Arlington, TX 76011 ates avaliable at <u>www.bedzking.net</u>	Date March 2019 February 2020	Testing Location Armstrong Armstrong	Regulation 15 U.S.C. § 1278a 16 CFR 1303		

Pursuant to the Consumer Product Safety Improvement Act (CPSIA) Sec. 102 the manufacturer certifies compliance with the Consumer Product Safety Commission (CPSC) regulations listed below.						
**** Product Information ****		**** Safety Testing Information ****				
BK 40 - DRAWER WHITE - PO AF7083		Testing performed at one or more of the following independent testing locations: Armstrong Forensic Laboratory 330 Loch'n Green Trail Arlington, TX 76012				
Date of Manufacture: February 2020 Made in Brazil		TSCA Title VI and California 93120 Phase 2 Compliant for Formaldehyde				
Manufactured by: Bedz King LLC 816 111th Street Arlington, TX 76011 Children's Product Certifica	Custodian of Test Records: Manager of Compliance and Testing Bedz King LLC 816 111th Street Arlington, TX 76011 ates avaliable at <u>www.bedzking.net</u>	Date March 2019 February 2020	Testing Location Armstrong Armstrong	Regulation 15 U.S.C. § 1278a 16 CFR 1303		