

Pursuant to the Consumer Product Safety Improvement Act (CPSIA) Sec. 102 the manufacturer certifies compliance with the Consumer Product Safety Commission (CPSC) regulations listed below.

\*\*\*\* **Product Information** \*\*\*\*

**BK 71 - STAIRWAY**  
**WHITE - PO AF7066**

Date of Manufacture: **January 2020**

**Made in Brazil**

Manufactured by:	Custodian of Test Records:
Bedz King LLC	Manager of Compliance and Testing
816 111th Street	Bedz King LLC
Arlington, TX 76011	816 111th Street
	Arlington, TX 76011

Children's Product Certificates available at [www.bedzking.net](http://www.bedzking.net)

\*\*\*\* **Safety Testing Information** \*\*\*\*

Testing performed at one or more of the following independent testing locations:

Armstrong Forensic Laboratory 330 Loch'n Green Trail Arlington, TX 76012

**TSCA Title VI and California 93120 Phase 2 Compliant for Formaldehyde**

Date	Testing Location	Regulation
<b>March 2019</b>	<b>Armstrong</b>	<b>15 U.S.C. § 1278a</b>
<b>January 2020</b>	<b>Armstrong</b>	<b>16 CFR 1303</b>
<b>June 2019</b>	<b>Diversified</b>	<b>ASTM F 1427-13</b>
<b>June 2019</b>	<b>Diversified</b>	<b>16 CFR 1213 and 16 CFR 1513</b>