

Pursuant to the Consumer Product Safety Improvement Act (CPSIA) Sec. 102 the manufacturer certifies compliance with the Consumer Product Safety Commission (CPSC) regulations listed below.

\*\*\*\* Product Information \*\*\*\*

BK 71 - STAIRWAY  
WHITE - PO AF7180

Date of Manufacture: July 2020

**Made in Brazil**

Manufactured by:	Custodian of Test Records:
Bedz King LLC	Manager of Compliance and Testing
816 111th Street	Bedz King LLC
Arlington, TX 76011	816 111th Street
	Arlington, TX 76011

Children's Product Certificates available at [www.bedzking.net](http://www.bedzking.net)

\*\*\*\* Safety Testing Information \*\*\*\*

Testing performed at one or more of the following independent testing locations:

Armstrong Forensic Laboratory 330 Loch'n Green Trail Arlington, TX 76012

TSCA Title VI and California 93120 Phase 2 Compliant for Formaldehyde

Date	Testing Location	Regulation
March 2020	Armstrong	15 U.S.C. § 1278a
July 2020	Armstrong	16 CFR 1303
June 2019	Diversified	ASTM F 1427-13
June 2019	Diversified	16 CFR 1213 and 16 CFR 1513

Pursuant to the Consumer Product Safety Improvement Act (CPSIA) Sec. 102 the manufacturer certifies compliance with the Consumer Product Safety Commission (CPSC) regulations listed below.

\*\*\*\* **Product Information** \*\*\*\*

**BK 71 - STAIRWAY**  
**RURAL WHITE - PO AF7180**

Date of Manufacture: **July 2020**

**Made in Brazil**

Manufactured by:	Custodian of Test Records:
Bedz King LLC	Manager of Compliance and Testing
816 111th Street	Bedz King LLC
Arlington, TX 76011	816 111th Street
	Arlington, TX 76011

Children's Product Certificates available at [www.bedzking.net](http://www.bedzking.net)

\*\*\*\* **Safety Testing Information** \*\*\*\*

Testing performed at one or more of the following independent testing locations:

Armstrong Forensic Laboratory 330 Loch'n Green Trail Arlington, TX 76012

**TSCA Title VI and California 93120 Phase 2 Compliant for Formaldehyde**

Date	Testing Location	Regulation
<b>March 2020</b>	<b>Armstrong</b>	<b>15 U.S.C. § 1278a</b>
<b>July 2020</b>	<b>Armstrong</b>	<b>16 CFR 1303</b>
<b>June 2019</b>	<b>Diversified</b>	<b>ASTM F 1427-13</b>
<b>June 2019</b>	<b>Diversified</b>	<b>16 CFR 1213 and 16 CFR 1513</b>

Pursuant to the Consumer Product Safety Improvement Act (CPSIA) Sec. 102 the manufacturer certifies compliance with the Consumer Product Safety Commission (CPSC) regulations listed below.

\*\*\*\* Product Information \*\*\*\*

BK 71 - STAIRWAY  
RURAL GRAY - PO AF7180

Date of Manufacture: July 2020

**Made in Brazil**

Manufactured by:	Custodian of Test Records:
Bedz King LLC	Manager of Compliance and Testing
816 111th Street	Bedz King LLC
Arlington, TX 76011	816 111th Street
	Arlington, TX 76011

Children's Product Certificates available at [www.bedzking.net](http://www.bedzking.net)

\*\*\*\* Safety Testing Information \*\*\*\*

Testing performed at one or more of the following independent testing locations:

Armstrong Forensic Laboratory 330 Loch'n Green Trail Arlington, TX 76012

TSCA Title VI and California 93120 Phase 2 Compliant for Formaldehyde

Date	Testing Location	Regulation
March 2020	Armstrong	15 U.S.C. § 1278a
July 2020	Armstrong	16 CFR 1303
June 2019	Diversified	ASTM F 1427-13
June 2019	Diversified	16 CFR 1213 and 16 CFR 1513