Pursuant to the Consumer Product Safety Improvement Act (CPSIA) Sec. 102 the manufacturer certifies compliance with the Consumer Product Safety Commission (CPSC) regulations listed below.

**** Product Information ****		**** Safety Testing Information ****		
BK 71 - STAIRWAY		Testing performed at one or more of the following independent testing locations:		
EXPRESSO - PO AF7236		Armstrong Forensic Laboratory 330 Loch'n Green Trail Arlington, TX 76012		
Date of Manufacture: October 2020				
Made in Brazil		TSCA Title VI and California 93120 Phase 2 Compliant for Formaldehyde		
Manufactured by: Bedz King LLC 816 111th Street Arlington, TX 76011	Custodian of Test Records: Manager of Compliance and Testing Bedz King LLC 816 111th Street Arlington, TX 76011	Date March 2020 October 2020 June 2019	Testing Location Armstrong Armstrong Diversified	Regulation 15 U.S.C. § 1278a 16 CFR 1303 ASTM F 1427-13
Children's Product Certificates avaliable at www.bedzking.net		June 2019	Diversified	16 CFR 1213 and 16 CFR 1513

Pursuant to the Consumer Product Safety Improvement Act (CPSIA) Sec. 102 the manufacturer certifies compliance with the Consumer Product Safety Commission (CPSC) regulations listed below.

**** Product Information ****	**** Safety Testing Information ****		
BK 71 - STAIRWAY	Testing performed at one or more of the following independent testing locations:		
DARK CHERRY - PO AF7236	Armstrong Forensic Laboratory 330 Loch'n Green Trail Arlington, TX 76012		
Date of Manufacture: October 2020	TSCA Title VI and California 93120 Phase 2 Compliant for Formaldehyde		
Made in Brazil			
Manufactured by:Custodian of Test Records:Bedz King LLCManager of Compliance and Testing816 111th StreetBedz King LLCArlington, TX 76011816 111th StreetArlington, TX 76011Arlington, TX 76011Children's Product Certificates available at www.bedzking.net	Date March 2020 October 2020 June 2019 June 2019	Testing Location Armstrong Armstrong Diversified Diversified	Regulation 15 U.S.C. § 1278a 16 CFR 1303 ASTM F 1427-13 16 CFR 1213 and 16 CFR 1513