

Pursuant to the Consumer Product Safety Improvement Act (CPSIA) Sec. 102 the manufacturer certifies compliance with the Consumer Product Safety Commission (CPSC) regulations listed below.

\*\*\*\* **Product Information** \*\*\*\*

**BK 71 - STAIRWAY**  
**WHITE - PO AF7237**

Date of Manufacture: **October 2020**

**Made in Brazil**

|                     |                                   |
|---------------------|-----------------------------------|
| Manufactured by:    | Custodian of Test Records:        |
| Bedz King LLC       | Manager of Compliance and Testing |
| 816 111th Street    | Bedz King LLC                     |
| Arlington, TX 76011 | 816 111th Street                  |
|                     | Arlington, TX 76011               |

Children's Product Certificates available at [www.bedzking.net](http://www.bedzking.net)

\*\*\*\* **Safety Testing Information** \*\*\*\*

Testing performed at one or more of the following independent testing locations:

Armstrong Forensic Laboratory 330 Loch'n Green Trail Arlington, TX 76012

**TSCA Title VI and California 93120 Phase 2 Compliant for Formaldehyde**

| Date                | Testing Location   | Regulation                         |
|---------------------|--------------------|------------------------------------|
| <b>March 2020</b>   | <b>Armstrong</b>   | <b>15 U.S.C. § 1278a</b>           |
| <b>October 2020</b> | <b>Armstrong</b>   | <b>16 CFR 1303</b>                 |
| <b>June 2019</b>    | <b>Diversified</b> | <b>ASTM F 1427-13</b>              |
| <b>June 2019</b>    | <b>Diversified</b> | <b>16 CFR 1213 and 16 CFR 1513</b> |

Pursuant to the Consumer Product Safety Improvement Act (CPSIA) Sec. 102 the manufacturer certifies compliance with the Consumer Product Safety Commission (CPSC) regulations listed below.

\*\*\*\* **Product Information** \*\*\*\*

**BK 71 - STAIRWAY**  
**GRAY - PO AF7237**

Date of Manufacture: **October 2020**

**Made in Brazil**

|                     |                                   |
|---------------------|-----------------------------------|
| Manufactured by:    | Custodian of Test Records:        |
| Bedz King LLC       | Manager of Compliance and Testing |
| 816 111th Street    | Bedz King LLC                     |
| Arlington, TX 76011 | 816 111th Street                  |
|                     | Arlington, TX 76011               |

Children's Product Certificates available at [www.bedzking.net](http://www.bedzking.net)

\*\*\*\* **Safety Testing Information** \*\*\*\*

Testing performed at one or more of the following independent testing locations:

Armstrong Forensic Laboratory 330 Loch'n Green Trail Arlington, TX 76012

**TSCA Title VI and California 93120 Phase 2 Compliant for Formaldehyde**

| Date                | Testing Location   | Regulation                         |
|---------------------|--------------------|------------------------------------|
| <b>March 2020</b>   | <b>Armstrong</b>   | <b>15 U.S.C. § 1278a</b>           |
| <b>October 2020</b> | <b>Armstrong</b>   | <b>16 CFR 1303</b>                 |
| <b>June 2019</b>    | <b>Diversified</b> | <b>ASTM F 1427-13</b>              |
| <b>June 2019</b>    | <b>Diversified</b> | <b>16 CFR 1213 and 16 CFR 1513</b> |