

Pursuant to the Consumer Product Safety Improvement Act (CPSIA) Sec. 102 the manufacturer certifies compliance with the Consumer Product Safety Commission (CPSC) regulations listed below.

**** Product Information ****

BK 71 - STAIRWAY
DARK CHERRY - PO AM7589

Date of Manufacture: June 2022

Made in Brazil

Manufactured by:	Custodian of Test Records:
Bedz King LLC	Manager of Compliance and Testing
816 111th Street	Bedz King LLC
Arlington, TX 76011	816 111th Street
	Arlington, TX 76011

Children's Product Certificates available at www.bedzking.net

**** Safety Testing Information ****

Testing performed at one or more of the following independent testing locations:

Armstrong Forensic Laboratory 330 Loch'n Green Trail Arlington, TX 76012

TSCA Title VI and California 93120 Phase 2 Compliant for Formaldehyde

Date	Testing Location	Regulation
March 2022	Armstrong	15 U.S.C. § 1278a
June 2022	Armstrong	16 CFR 1303
March 2022	Diversified	ASTM F 1427-21
March 2022	Diversified	CFR 1213 and CFR 1513

Pursuant to the Consumer Product Safety Improvement Act (CPSIA) Sec. 102 the manufacturer certifies compliance with the Consumer Product Safety Commission (CPSC) regulations listed below.

**** Product Information ****

BK 71 - STAIRWAY
WHITE - PO AM7589

Date of Manufacture: June 2022

Made in Brazil

Manufactured by:	Custodian of Test Records:
Bedz King LLC	Manager of Compliance and Testing
816 111th Street	Bedz King LLC
Arlington, TX 76011	816 111th Street
	Arlington, TX 76011

Children's Product Certificates available at www.bedzking.net

**** Safety Testing Information ****

Testing performed at one or more of the following independent testing locations:

Armstrong Forensic Laboratory 330 Loch'n Green Trail Arlington, TX 76012

TSCA Title VI and California 93120 Phase 2 Compliant for Formaldehyde

Date	Testing Location	Regulation
March 2022	Armstrong	15 U.S.C. § 1278a
June 2022	Armstrong	16 CFR 1303
March 2022	Diversified	ASTM F 1427-21
March 2022	Diversified	CFR 1213 and CFR 1513