Pursuant to the Consumer Product Safety Improvement Act (CPSIA) Sec. 102 the manufacturer certifies compliance with the Consumer Product Safety Commission (CPSC) regulations listed below.

| **** Product Information **** | | **** Safety Testing Information **** | | |
|---|---|--|----------------------------|---|
| BK 71 - STAIRWAY HONEY - PO W6635 | | Testing performed at one or more of the following independent testing locations: | | |
| | | Diversified Testing Laboratories Inc | | Armstrong Forensic Laboratory |
| Date of Manufacture: July 2017 | | 336 West Front Street | | 330 Loch'n Green Trail |
| Made in Brazil | | P.O. Box 4004 Burlington, NC 27215 | | Arlington, TX 76012 |
| Manufactured by: Bedz King LLC | Custodian of Test Records: Manager of Compliance and Testing | Date | Testing Location | Regulation |
| 816 111th Street Arlington, TX 76011 | Bedz King LLC 816 111th Street | February 2017 July 2017 | Armstrong Armstrong | 15 U.S.C. § 1278a 16 CFR 1303 |
| Arlington, TX 76011 Children's Product Certificates avaliable at <u>www.bedzking.net</u> | | November 2016 November 2016 | Diversified Diversified | ASTM F 1427-13 16 CFR 1213 and 16 CFR 1513 |