Pursuant to the Consumer Product Safety Improvement Act (CPSIA) Sec. 102 the manufacturer certifies compliance with the Consumer Product Safety Commission (CPSC) regulations listed below.

**** Product Information ****

BK 71 - STAIRWAY GRAY - PO W7000

Date of Manufacture: June 2019

Made in Brazil

Manufactured by: Custodian of Test Records:
Bedz King LLC Manager of Compliance and Testing

816 111th Street Bedz King LLC Arlington, TX 76011 Bedz King LLC 816 111th Street Arlington, TX 76011

Children's Product Certificates avaliable at www.bedzking.net

**** Safety Testing Information ****

Testing performed at one or more of the following independent testing locations:

Armstrong Forensic Laboratory 330 Loch'n Green Trail Arlington, TX 76012

TSCA Title VI and California 93120 Phase 2 Compliant for Formaldehyde

Date Testing Location Regulation

March 2019 Armstrong 15 U.S.C. § 1278a

June 2019 Armstrong 16 CFR 1303

June 2018 Diversified ASTM F 1427-13

June 2018 Diversified 16 CFR 1213 and 16 CFR 1513

Pursuant to the Consumer Product Safety Improvement Act (CPSIA) Sec. 102 the manufacturer certifies compliance with the Consumer Product Safety Commission (CPSC) regulations listed below.

**** Product Information ****

BK 71 - STAIRWAY WHITE - PO W7000

Date of Manufacture: June 2019

Made in Brazil

Manufactured by: Custodian of Test Records:
Bedz King LLC Manager of Compliance and Testing

816 111th Street Bedz King LLC Arlington, TX 76011 Bedz King LLC 816 111th Street

Arlington, TX 76011

Children's Product Certificates avaliable at www.bedzking.net

**** Safety Testing Information ****

Testing performed at one or more of the following independent testing locations:

Armstrong Forensic Laboratory 330 Loch'n Green Trail Arlington, TX 76012

TSCA Title VI and California 93120 Phase 2 Compliant for Formaldehyde

Date Testing Location Regulation
March 2019 Armstrong 15 U.S.C. § 1278a
June 2019 Armstrong 16 CFR 1303
June 2018 Diversified ASTM F 1427-13

June 2018 Diversified 16 CFR 1213 and 16 CFR 1513