

Pursuant to the Consumer Product Safety Improvement Act (CPSIA) Sec. 102 the manufacturer certifies compliance with the Consumer Product Safety Commission (CPSC) regulations listed below.

**** **Product Information** ****

BK 71 - STAIRWAY
GRAY - PO W7048

Date of Manufacture: **November 2019**

Made in Brazil

Manufactured by:	Custodian of Test Records:
Bedz King LLC	Manager of Compliance and Testing
816 111th Street	Bedz King LLC
Arlington, TX 76011	816 111th Street
	Arlington, TX 76011

Children's Product Certificates available at www.bedzking.net

**** **Safety Testing Information** ****

Testing performed at one or more of the following independent testing locations:

Armstrong Forensic Laboratory 330 Loch'n Green Trail Arlington, TX 76012

TSCA Title VI and California 93120 Phase 2 Compliant for Formaldehyde

Date	Testing Location	Regulation
March 2019	Armstrong	15 U.S.C. § 1278a
November 2019	Armstrong	16 CFR 1303
June 2019	Diversified	ASTM F 1427-13
June 2019	Diversified	16 CFR 1213 and 16 CFR 1513

Pursuant to the Consumer Product Safety Improvement Act (CPSIA) Sec. 102 the manufacturer certifies compliance with the Consumer Product Safety Commission (CPSC) regulations listed below.

**** **Product Information** ****

BK 71 - STAIRWAY
WHITE - PO W7048

Date of Manufacture: **November 2019**

Made in Brazil

Manufactured by:	Custodian of Test Records:
Bedz King LLC	Manager of Compliance and Testing
816 111th Street	Bedz King LLC
Arlington, TX 76011	816 111th Street
	Arlington, TX 76011

Children's Product Certificates available at www.bedzking.net

**** **Safety Testing Information** ****

Testing performed at one or more of the following independent testing locations:

Armstrong Forensic Laboratory 330 Loch'n Green Trail Arlington, TX 76012

TSCA Title VI and California 93120 Phase 2 Compliant for Formaldehyde

Date	Testing Location	Regulation
March 2019	Armstrong	15 U.S.C. § 1278a
November 2019	Armstrong	16 CFR 1303
June 2019	Diversified	ASTM F 1427-13
June 2019	Diversified	16 CFR 1213 and 16 CFR 1513