

Pursuant to the Consumer Product Safety Improvement Act (CPSIA) Sec. 102 the manufacturer certifies compliance with the Consumer Product Safety Commission (CPSC) regulations listed below.

**** Product Information ****

**BK 76 - STAIRWAY
EXPRESSO - PO W6404**

Date of Manufacture: **February 2016**

Made in Brazil

| | |
|---------------------|-----------------------------------|
| Manufactured by: | Custodian of Test Records: |
| Bedz King LLC | Manager of Compliance and Testing |
| 816 111th Street | Bedz King LLC |
| Arlington, TX 76011 | 816 111th Street |
| | Arlington, TX 76011 |

Children's Product Certificates available at www.bedzking.com/certificates

**** Safety Testing Information ****

Testing performed at one or more of the following independent testing locations:

Diversified Testing Laboratories Inc
336 West Front Street
P.O. Box 4004
Burlington, NC 27215

Armstrong Forensic Laboratory
330 Loch'n Green Trail
Arlington, TX 76012

| Date | Testing Location | Regulation |
|----------------|------------------|-----------------------------|
| February 2015 | Armstrong | 15 U.S.C. § 1278a |
| February 2016 | Armstrong | 16 CFR 1303 |
| September 2015 | Diversified | ASTM F 1427-13 |
| September 2015 | Diversified | 16 CFR 1213 and 16 CFR 1513 |