

Pursuant to the Consumer Product Safety Improvement Act (CPSIA) Sec. 102 the manufacturer certifies compliance with the Consumer Product Safety Commission (CPSC) regulations listed below.

\*\*\*\* Product Information \*\*\*\*

**BK 71 - STAIRWAY  
CAPPUCCINO - PO AF7125**

Date of Manufacture: **April 2020**

**Made in Brazil**

|                     |                                   |
|---------------------|-----------------------------------|
| Manufactured by:    | Custodian of Test Records:        |
| Bedz King LLC       | Manager of Compliance and Testing |
| 816 111th Street    | Bedz King LLC                     |
| Arlington, TX 76011 | 816 111th Street                  |
|                     | Arlington, TX 76011               |

Children's Product Certificates available at [www.bedzking.net](http://www.bedzking.net)

\*\*\*\* Safety Testing Information \*\*\*\*

Testing performed at one or more of the following independent testing locations:

Armstrong Forensic Laboratory 330 Loch'n Green Trail Arlington, TX 76012

**TSCA Title VI and California 93120 Phase 2 Compliant for Formaldehyde**

| Date       | Testing Location | Regulation                  |
|------------|------------------|-----------------------------|
| March 2020 | Armstrong        | 15 U.S.C. § 1278a           |
| April 2020 | Armstrong        | 16 CFR 1303                 |
| June 2019  | Diversified      | ASTM F 1427-13              |
| June 2019  | Diversified      | 16 CFR 1213 and 16 CFR 1513 |

Pursuant to the Consumer Product Safety Improvement Act (CPSIA) Sec. 102 the manufacturer certifies compliance with the Consumer Product Safety Commission (CPSC) regulations listed below.

\*\*\*\* Product Information \*\*\*\*

**BK 71 - STAIRWAY  
EXPRESSO - PO AF7125**

Date of Manufacture: **April 2020**

**Made in Brazil**

|                     |                                   |
|---------------------|-----------------------------------|
| Manufactured by:    | Custodian of Test Records:        |
| Bedz King LLC       | Manager of Compliance and Testing |
| 816 111th Street    | Bedz King LLC                     |
| Arlington, TX 76011 | 816 111th Street                  |
|                     | Arlington, TX 76011               |

Children's Product Certificates available at [www.bedzking.net](http://www.bedzking.net)

\*\*\*\* Safety Testing Information \*\*\*\*

Testing performed at one or more of the following independent testing locations:

Armstrong Forensic Laboratory 330 Loch'n Green Trail Arlington, TX 76012

**TSCA Title VI and California 93120 Phase 2 Compliant for Formaldehyde**

| Date       | Testing Location | Regulation                  |
|------------|------------------|-----------------------------|
| March 2020 | Armstrong        | 15 U.S.C. § 1278a           |
| April 2020 | Armstrong        | 16 CFR 1303                 |
| June 2019  | Diversified      | ASTM F 1427-13              |
| June 2019  | Diversified      | 16 CFR 1213 and 16 CFR 1513 |